

Total No. of Questions—8]

[Total No. of Printed Pages—7

<b>Seat No.</b>	
---------------------	--

**[4657]-541**

**S.E. (Electronics/E&TC) (Second Sem.) EXAMINATION, 2014**

**ENGINEERING MATHEMATICS-III**

**(2012 PATTERN)**

**Time : Two Hours**

**Maximum Marks : 50**

**N.B. :—** (i) Answer Q. 1 or Q. 2, Q. 3 or Q. 4, Q. 5 or Q. 6 and  
Q. 7 or Q. 8.

(ii) Neat diagrams must be drawn wherever necessary.

(iii) Figures to the right indicate full marks.

(iv) Use of non-programmable electronic pocket calculator is allowed.

(v) Assume suitable data, if necessary.

**1. (a) Solve any two :** [8]

(i)  $(D^2 - 2D)y = e^x \sin x$  by method of variation of parameters.

(ii)  $x^2 \frac{d^2 y}{dx^2} - x \frac{dy}{dx} + 4y = \cos(\log x) + x \sin(\log x)$

(iii)  $(D^2 - 2D + D)y = x e^x \sin x$ .

P.T.O.

(b) Find Fourier sine transform of : [4]

$$f(x) = x^2, \quad 0 \leq x \leq 1 \\ = 0, \quad x > 1.$$

Or

2. (a) An electric circuit consists of an inductance 0.1 henry, a resistance R of 20 ohms and a condenser of capacitance C of 25 microfarads. If the differential equation of electric circuit is :

$$L \frac{d^2q}{dt^2} + R \frac{dq}{dt} + \frac{q}{C} = 0$$

then find the at time  $t$ , given that at  $t = 0$ ,  $q = 0.05$  coulombs

$$\frac{dq}{dt} = 0. \quad [4]$$

(b) Solve (any one) : [4]

(i) Find  $z$  transform of :

$$f(k) = \frac{2^k}{k}, \quad k \geq 1.$$

(ii) Find inverse  $z$  transform :

$$F(z) = \frac{1}{(z-3)(z-2)}, \quad |z| < 2.$$

(c) Solve : [4]

$$12f(k+2) - 7f(k+1) + f(k) = 0, \quad k \geq 0,$$

$$F(0) = 0, \quad F(1) = 3.$$

3. (a) Solve the following differential equation to get  $y(0.2)$  : [4]

$$\frac{dy}{dx} = \frac{1}{x+y}, \quad y(0) = 1, \quad h = 0.2$$

by using Runge-Kutta fourth order method.

(b) Find Lagrange's interpolating polynomial passing through set of points : [4]

$x$	$y$
0	4
1	3
2	6

Use it to find  $y$  at  $x = 2$ ,  $\frac{dy}{dx}$  at  $x = 0.5$  and  $\int_0^3 y \, dx$ .

(c) Find the directional derivative of : [4]

$$\phi = 5x^2y - 5y^2z + 2z^2x$$

at the point (1, 1, 1) in the direction of the line :

$$\frac{x-1}{2} = \frac{y-3}{-2} = \frac{z}{1}.$$

Or

4. (a) Show that (any one) : [4]

$$(i) \quad \nabla \left( \frac{\bar{a} \cdot \bar{r}}{r^n} \right) = \frac{\bar{a}}{r^n} - \frac{n(\bar{a} \cdot \bar{r})}{r^{n+2}} \bar{r}$$

$$(ii) \quad \nabla^2 f(r) = \frac{d^2 f}{dr^2} + \frac{2}{r} \frac{df}{dr}.$$

(b) Find the function  $f(r)$  so that  $f(r) \bar{r}$  is solenoidal. [4]

(c) Evaluate : [4]

$$\int_0^1 \frac{dx}{1+x^2}$$

using Simpson's  $\frac{3}{8}$  rule taking  $h = \frac{1}{6}$ .

5. (a) Find the work done by the force : [4]

$$(2xy + 3z^2)\bar{i} + (x^2 + 4yz)\bar{j} + (2y^2 + 6xz)\bar{k}$$

in taking a particle from (0, 0, 0) to (1, 1, 1).

(b) Apply Stokes' theorem to calculate : [5]

$$\int_c (4y dx + 2z dy + 6y dz)$$

where  $c$  is the curve of intersection of  $x^2 + y^2 + z^2 = 6z$ ,

$$z = x + 3.$$

(c) Evaluate : [4]

$$\iint_s (xz^2 dydz + (x^2y - z^2) dzdx + (2xy + y^2z) dxdy)$$

where  $s$  is the surface enclosing a region bounded by hemisphere  $x^2 + y^2 + z^2 = 4$  above  $xoy$  plane.

Or

6. (a) If [4]

$$\vec{F} = \frac{1}{x^2 + y^2} (-y \vec{i} + x \vec{j})$$

then show that :

$$\oint_c \vec{F} \cdot d\vec{r} = 2\pi,$$

where  $c$  is circle  $x^2 + y^2 = 1$ .

(b) Evaluate : [5]

$$\iint_s (4xz \vec{i} - y^2 \vec{j} + yz \vec{k}) \cdot d\vec{s}$$

over the cube bounded by the planes :

$$x = 0, x = 2, y = 0, y = 2, z = 0, z = 2.$$

(c) Maxwell's electromagnetic equations are : [4]

$$\nabla \cdot \vec{B} = 0, \quad \nabla \times \vec{E} = -\frac{\partial \vec{B}}{\partial t}.$$

Given  $\bar{\mathbf{B}} = \text{curl } \bar{\mathbf{A}}$  then deduce that :

$$\bar{\mathbf{E}} + \frac{\partial \bar{\mathbf{A}}}{\partial t} = -\text{grad } V$$

where  $V$  is the scalar point function.

7. (a) Show that : [5]

$$u = e^{-x} (x \sin y - y \cos y)$$

is harmonic and determine an analytic function  $f(z) = u + iv$ .

(b) Evaluate : [4]

$$\int_c (z - z^2) dz$$

where  $c$  is the upper half of the unit circle  $|z| = 1$ .

(c) Find the Bilinear transformation which maps the points  $z = 0, -1, \infty$  in the  $z$ -plane onto the points  $w = -1, -(2 + i), i$  in the  $w$ -plane. [4]

*Or*

8. (a) Find the analytic function  $f(z) = u + iv$  if : [4]

$$v = (r - 1/r) \sin \theta, r \neq 0.$$

- (b) Using Cauchy's integral formula, evaluate the integral : [5]

$$\int_c \frac{(z+4)}{(z^2+2z+5)} dz$$

where  $c$  is the curve  $|z+1-i|=2$ .

- (c) Find the image in the  $w$ -plane of the circle  $|z-3|=2$  in the  $z$ -plane under the inverse mapping  $w = \frac{1}{z}$ . [4]